



Declaration of Performance

DoP-No.: 4026639011244-007313

① INTELLO PLUS

② 10092

(batch number see imprint on membrane)

Vapour check and airtightness membrane

④ MOLL bauökologische Produkte GmbH
Rheintalstraße 35 - 43
68723 Schwetzingen

System 3

The notified body "Gesellschaft für Materialforschung und Prüfungsanstalt für Bauwesen mbH" - NB 0800 - carried out the initial tests of the material properties according to system 3.

⑨ Performance declared according to BS EN 13984 - Typ B

Attribute	Norm	Value
Length ¹		50 m
Width ²		1.5 m
Surface weight	BS EN 1849-2:2001	110 ±5 g/m ²
Thickness	BS EN 1849-2:2001	0.2 ±0.05 mm
sd-value	BS EN 1931 :2001	7.50 ±0.25 m
g-value		37.50 ±1.25 MNs/g
Fire behaviour	BS EN 13501-1:2010	E
Tensile strength MD/CD	BS EN 13859-1:2005	350 N/5 cm / 290 N/5 cm
Elongation MD/CD	BS EN 13859-1:2005	15 % / 15 %
Nail tear resistance MD/CD	BS EN 13859-1:2005	240 N / 200 N
Artificial ageing by long term	BS EN 1296:2001 / BS EN 1931:2001	passed

dimensional tolerances: ¹: +0.5 m; ²: +0.005 m

The performance of the product according to numbers 1 and 2 correspond to the performance declared according to number 9. According to number 4, the manufacturer is solely responsible for issuing this Declaration of Performance. Signed for the manufacturer and on behalf of the manufacturer by:

Lothar Moll, CEO

Michael Förster, technical manager
Schwetzingen, 08/26/2014